


Configuration de PhotoWorkShop

Double-cliquez sur l'icône du programme de configuration de PhotoWorkShop, qui va vous permettre de paramétrer votre application PhotoWorkShop.



Sur chaque écran , pour poursuivre l'animation , vous devez cliquer sur la flèche







Please type your password :


Login



Le programme PWS Configuration est protégé par un mot de passe. Le paramétrage ne doit être accessible que par l'administrateur de l'application PhotoWorkShop.



Exit



Please type your password :

Login

**Le mot de passe par défaut est :
"changeme". (en minuscule)
Vous pourrez et devrez donc le
changer.**



Exit



Please type your password :

Login



Exit



Localization

default culture :

currency :

Alternative Cultures :

	show on first screen	culture
<input type="checkbox"/>	<input type="checkbox"/>	Geman (Gemany)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	English (United States)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Spanish (Spain)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	French (France)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Italian (Italy)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Lithuanian (Lithuania)

General Parameters

enable TopMost windows enable help on startup

allow

IHM Fo

extra fo

Config P

new password :

new password :

retype it :

retype it :

La monnaie affichée ici est la celle utilisée par défaut dans le calcul et l'affichage des tarifs dans PhotoWorkShop

Back Office Integration

export directory : IP Address :

Text Edition

fonts directory : color set :

User Information Dialogs

ask for name ask for address

ask for phone number ask for e-mail

Money

Show prices Show checkstand button

shortcuts

My Documents Desktop My Pictures

Localization

default culture :

currency :

Alternative Cultures :

	show on first screen	culture
<input type="checkbox"/>	<input type="checkbox"/>	Geman (Gemany)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	English (United States)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Spanish (Spain)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	French (France)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Italian (Italy)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Lithuanian (Lithuania)

General

allow

allow

IHM Fo

extra fo

Config P

current :

new password :

retype it :

Change

current :

new password :

retype it :

Change

La langue affichée ici est la langue utilisée par défaut à l'ouverture de PhotoWorkShop

Back Office Integration

export directory : IP Address :

Text Edition

fonts directory : color set :

User Information Dialogs

ask for name ask for address

ask for phone number ask for e-mail

Money

Show prices

Show checkstand button

shortcuts

My Documents

Desktop

My Pictures

Localization

default culture :

currency :

Alternative Cultures :

	show on first screen	culture
<input type="checkbox"/>	<input type="checkbox"/>	Geman (Gemany)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	English (United States)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Spanish (Spain)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	French (France)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Italian (Italy)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Lithuanian (Lithuania)

General Parameters

enable TopMost windows

allow local drives browsing

allow recursive directory search

IHM Font :

extra fonts dir :

enable help on startup

enable mouse over

cache size (Mb) :

Config Password

current :

new password :

retype it :

Tech Password

current :

new password :

retype it :

Back Office Integration

export directory :

IP Address :

Text Edition

fonts directory :

color set :

User Information Dialogs

ask for name

ask for address

ask for phone number

ask for e-mail

Money

Show prices

Show checkstand button

shortcuts

My Documents

Desktop

My Pictures

Localization

default culture : **French (France)**

currency :

Alternative Cultures

show on first screen		
<input type="checkbox"/>	<input type="checkbox"/>	German (Germany)
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	English (United States)
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Spanish (Spain)
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	French (France)
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Italian (Italy)
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Lithuanian (Lithuania)
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Portuguese (Portugal)

Sélectionnez la langue qui sera utilisée par défaut dans PhotoWorkShop. Le client pourra ensuite changer de langue dès le premier écran de PhotoWorkShop.

General

current :

new password :

retype it :

Change

Back Office Integration

export directory : C:\export

IP Address : 127 0 0 1

Text Edition

fonts directory : C:\Program Files\MGI\PWS Back Office\fonts

color set : 32

User Information Dialogs

ask for name ask for address

ask for phone number ask for e-mail

Money

Show prices

Show checkstand button

shortcuts

My Documents

Desktop

My Pictures

Localization

default culture : English (United States)

currency : en-US (\$)

Alternative Cultures :

	show on first screen	culture
<input type="checkbox"/>	<input type="checkbox"/>	German (Germany)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	English (United States)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Spanish (Spain)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	French (France)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Italian (Italy)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Lithuanian (Lithuania)

General Parameters

enable TopMost windows

allow local drives browsing

allow recursive directory search

enable help on startup

enable mouse over

cache size (Mb) : 64

IHM Font : Sample font

extra fonts dir :

Config Password

current :

new password :

retype it :

Change

Tech Password

current :

new password :

retype it :

Change

Back Office Integration

export directory : C:\export

IP Address : 127 0 0 1

Text Edition

fonts directory : C:\Program Files\MGI\PWS Back Office\fonts

color set : 32

User Information Dialogs

ask for name

ask for address

ask for phone number

ask for e-mail

Money

Show prices

Show checkstand button

shortcuts

My Documents

Desktop

My Pictures

Localization

default culture : English (United States)

currency : en-US (\$)

Alternative Cultures :

	show on first screen	culture
	<input checked="" type="checkbox"/>	Geman (Gemany)
	<input checked="" type="checkbox"/>	English (United States)
	<input checked="" type="checkbox"/>	Spanish (Spain)
	<input checked="" type="checkbox"/>	French (France)
	<input checked="" type="checkbox"/>	Italian (Italy)
	<input checked="" type="checkbox"/>	Lithuanian (Lithuania)

General Parameters

enable TopMost windows

allow local drives browsing

allow recursive directory search

IHM Font : Sample font

extra fonts dir :

enable help on startup

enable mouse over

cache size (Mb) : 64

Config Password

Tech Password

new p

Back Office Integration

export directory : C:\export

Text Edition

fonts directory : C:\Program Files\MGI\PWS Back Office\fonts

color set : 32

User Information Dialogs

ask for name

ask for phone number

ask for address

ask for e-mail

Money

Show prices

Show checkstand button

shortcuts

My Documents

Desktop

My Pictures

Liste de toutes les traductions de PhotoWorkShop installées. Un utilitaire fourni avec l'application permet d'ajouter de nouvelles traductions.

Localization

default culture : English (United States)

currency : en-US (\$)

Alternative Cultures :

	show on first screen	culture
	<input checked="" type="checkbox"/>	German (Germany)
	<input checked="" type="checkbox"/>	English (United States)
	<input checked="" type="checkbox"/>	Spanish (Spain)
	<input checked="" type="checkbox"/>	French (France)
	<input checked="" type="checkbox"/>	Italian (Italy)
	<input type="checkbox"/>	Lithuanian (Lithuania)

General Parameters

enable TopMost windows enable help on startup

allow local drives browsing enable mouse over

allow recursive directory search cache size (Mb) : 64

IHM Font : Sample font

extra fonts dir :

Config Password

current : new password : retype it :

Tech Password

current : new password : retype it :

Back Office Integration

export directory : C:\export

Text Edition

fonts directory : C:\Program Files\MGI\PWS Back Office\fonts

User Information Dialogs

ask for name ask for address

ask for phone number ask for e-mail

Money

Show prices Show checkstand button

shortcuts

My Documents Desktop My Pictures


Vous pouvez désélectionnez les langues que vous ne voulez pas voir apparaître dans l'application PhotoWorkShop.

Localization

default culture :

currency :

Alternative Cultures :

	show on first screen	culture
	<input checked="" type="checkbox"/>	English (United States)
	<input checked="" type="checkbox"/>	Spanish (Spain)
	<input checked="" type="checkbox"/>	French (France)
	<input checked="" type="checkbox"/>	Italian (Italy)
	<input type="checkbox"/>	Lithuanian (Lithuania)
	<input checked="" type="checkbox"/>	Portuguese (Portugal)

General Parameters

enable TopMost windows

allow local drives browsing

allow recursive directory search

enable help on startup

enable mouse over

cache size (Mb) :

IHM Font :

extra fonts dir :

Config Password

current :

new password :

retype it :

Tech Password

current :

new password :

retype it :

Back Office Integration

export directory :

IP Address :

Text Edition

fonts directory :

color set :

User Information Dialogs

ask for name

ask for phone number

ask for address

ask for e-mail

Money

Show prices

Show checkstand button

shortcuts

My Documents

Desktop

My Pictures

Localization

default culture : English (United States)

currency : en-US (\$)

General Parameters

enable TopMost windows

enable help on startup

allow local drives browsing


enable mouse over

allow recursive directory search

cache size (Mb) : 64

Font : Sample font

"Enable TopMost windows" place toujours au premier plan les écrans de PhotoWorkShop. Il n'est alors plus possible d'accéder au menus de Windows, afin de sécuriser le poste par rapport aux manipulations des clients.



Alternative Cultures :

Current Password : Tech Password

current : current :

password : new password :

retype it : retype it :

Change Change

export directory : C:\export IP Address : 127 0 0 1

Text Edition

fonts directory : C:\Program Files\MGI\PWS Back Office\fonts color set : 32

User Information Dialogs

ask for name ask for address

ask for phone number ask for e-mail

Money

Show prices

Show checkstand button

shortcuts

My Documents

Desktop

My Pictures

Localization

default culture : English (United States)
currency : en-US (\$)

Alternative Cultures :

General Parameters

enable TopMost windows
 allow local drives browsing
 allow recursive directory search
 enable help on startup
 enable mouse over
cache size (Mb) : 64
M Font : Sample font

**"Allow local drives browsing"
permet d'accéder aux photos
des disques durs locaux ou sur
le réseau.
Laissez la case cochée.**

...nts dir :
Password
current :
password :
retype it :
Change
Tech Password
current :
new password :
retype it :
Change

Back Office Integration

export directory : C:\export IP Address : 127 0 0 1

Text Edition

fonts directory : C:\Program Files\MGI\PWS Back Office\fonts color set : 32

User Information Dialogs

ask for name
 ask for phone number
 ask for address
 ask for e-mail

Money

Show prices
 Show checkstand button

shortcuts

My Documents
 Desktop
 My Pictures

Global Parameters Photo Album Pele Mele Photo Printing ISO Cards

Localization

default culture : English (United States)

currency : en-US (\$)

Alternative Cultures :

show on first screen	culture

General Parameters

 enable TopMost windows allow local drives browsing allow recursive directory search enable help on startup enable mouse over

cache size (Mb) : 64

Font : Sample font

ra fonts dir :

"Allow recursive directory search" permet d'accéder aux photos des répertoires des disques durs et de tous les sous-dossiers.

Décochez cette case pour éviter de récupérer toutes les images de votre disque dur.



Password

current :

password :

retype it :

Change

Tech Password

current :

new password :

retype it :

Change

Text Edition

fonts directory : C:\Program Files\MGI\PWS Back Office\fonts

color set : 32

User Information Dialogs

 ask for name ask for address ask for phone number ask for e-mail

Money

 Show prices Show checkstand button

shortcuts

 My Documents Desktop My Pictures

Save

Exit

Global Parameters Photo Album Pele Mele Photo Printing ISO Cards

Localization

default culture : English (United States)

currency : en-US (\$)

Alternative Cultures :

	show on first screen	culture
	<input type="checkbox"/>	Geman (Gemany)
	<input checked="" type="checkbox"/>	English (United States)
	<input checked="" type="checkbox"/>	Spanish (Spain)
	<input checked="" type="checkbox"/>	French (France)
	<input checked="" type="checkbox"/>	Italian (Italy)
	<input checked="" type="checkbox"/>	Lithuanian (Lithuania)

General Parameters

 enable TopMost windows allow local drives browsing allow recursive directory search enable help on startup enable mouse over

cache size (Mb) : 64

Sample font

"enable help on startup" coché, cela active les bulles d'aide dès le démarrage de PhotoWorkShop. L'utilisateur peut désactiver ou réactiver les bulles d'aide à tout moment grâce au "?" en bas de l'écran de PhotoWorkShop.

Back Office Integration

export directory : C:\export

IP Address : 127 0 0 1

Text Edition

fonts directory : C:\Program Files\MGI\PWS Back Office\fonts

color set : 32

User Information Dialogs

 ask for name ask for address ask for phone number ask for e-mail

Money

 Show prices Show checkstand button

shortcuts

 My Documents Desktop My Pictures

Save

Exit

Localization

default culture : English (United States)

currency : en-US (\$)

Alternative Cultures :

	show on first screen	culture
<input type="checkbox"/>	<input type="checkbox"/>	German
<input type="checkbox"/>	<input checked="" type="checkbox"/>	English
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Spanish
<input type="checkbox"/>	<input checked="" type="checkbox"/>	French
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Italian (I)
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Lithuanian

General Parameters

enable TopMost windows

allow local drives browsing

allow recursive directory search

enable help on startup

enable mouse over

Cache size (Mb) : 64

IFM Font : Sample font

"enable mouse over" déclenche l'apparition de bulles d'aide contextuelles lors du survol de la souris .
Décochez cette option si vous utilisez une borne tactile, sans la souris.

Back Office Integration

export directory : C:\export IP Address : 127 0 0 1

Text Edition

fonts directory : C:\Program Files\MGI\PWS Back Office\fonts color set : 32

User Information Dialogs

ask for name ask for address

ask for phone number ask for e-mail

Money

Show prices

Show checkstand button

shortcuts

My Documents

Desktop

My Pictures

Modifiez vos mots de passe pour garantir une bonne protection de vos paramètres.
Le mot de passe initial par défaut est "changeme" (en minuscule).

first screen	culture
<input type="checkbox"/>	German (Germany)
<input checked="" type="checkbox"/>	English (United States)
<input checked="" type="checkbox"/>	Spanish (Spain)
<input checked="" type="checkbox"/>	French (France)
<input checked="" type="checkbox"/>	Italian (Italy)
<input checked="" type="checkbox"/>	Lithuanian (Lithuania)

Config Password

current :

new password :

retype it :

Tech Password

current :

new password :

retype it :

Notez bien votre nouveau mot de passe car celui-ci est crypté.

IP Address :

color set :

User Information Dialogs

ask for name ask for address

ask for phone number ask for e-mail

Money

Show prices

Show checkstand button

shortcuts

My Documents

Desktop

My Pictures

Global Parameters

Photo Album

Pele Mele

Photo Printing


ISO Cards

Localization

default culture : English (United States)

currency : en-US (\$)

Alternative Cultures :

	show on first screen	culture
	<input checked="" type="checkbox"/>	English (United States)
	<input checked="" type="checkbox"/>	Spanish (Spain)
	<input checked="" type="checkbox"/>	French (France)
	<input checked="" type="checkbox"/>	Italian (Italy)
	<input type="checkbox"/>	Lithuanian (Lithuania)
	<input checked="" type="checkbox"/>	Portuguese (Portugal)

General Parameters

 enable TopMost windows enable help on startup allow local drives browsing enable mouse over allow recursive directory search

cache size (Mb) : 64

IHM Font : Sample fontextra fonts dir :

Config Password

current : new password : retype it :

Change

Tech Password

current : new password : retype it :

Change

Back Office Integration

export directory : C:\export

Text Edition

fonts directory : C:\Program Files\MGIMP

User Information Dialogs

 ask for name ask for ask for phone number ask for

Le dossier d'export se trouve sur le PC du Front-Office.

Les jobs créés avec PhotoWorkShop sur le front-Office y seront stockés, et récupérés par le PC Back-Office, connecté au même réseau.

address : 127 0 0 1

color set : 32

Save

Exit

Localization

default culture : English (United States)

currency : en-US (\$)

Alternative Cultures :

	show on first screen	culture
	<input checked="" type="checkbox"/>	English (United States)
	<input checked="" type="checkbox"/>	Spanish (Spain)
	<input checked="" type="checkbox"/>	French (France)
	<input checked="" type="checkbox"/>	Italian (Italy)
▶	<input type="checkbox"/>	Lithuanian (Lithuania)
	<input checked="" type="checkbox"/>	Portuguese (Portugal)

General Parameters

enable TopMost windows

allow local drives browsing

allow recursive directory search

enable help on startup

enable mouse over

cache size (Mb) : 64

IHM Font : Sample font

extra fonts dir :

Config Password

current :

new password :

retype it :

Change

Tech Password

current :

new password :

retype it :

Change

Back Office Integration

export directory : C:\export

Text Edition

fonts directory : C:\Program Files\MGI\

User Information Dialogs

ask for name

ask for phone number

Le dossier d'export doit être partagé pour être accessible par le Back-Office.

IMPORTANT: PhotoWorkShop ne pourra pas démarrer si le partage du dossier d'export n'est pas activé.

... : 127 0 0 1

color set : 32

Global Parameters Photo Album Pele Mele Photo Printing ISO Cards

Localization

default culture : English (United States)

currency : en-US (\$)

Alternative Cultures :

	show on first screen	culture
	<input checked="" type="checkbox"/>	English (United States)
	<input checked="" type="checkbox"/>	Spanish (Spain)
	<input checked="" type="checkbox"/>	French (France)
	<input checked="" type="checkbox"/>	Italian (Italy)
▶	<input type="checkbox"/>	Lithuanian (Lithuania)
	<input checked="" type="checkbox"/>	Portuguese (Portugal)

General Parameters

 enable TopMost windows allow local drives browsing allow recursive directory search enable help on startup enable mouse over

cache size (Mb) : 64

IHM Font : Sample font

extra fonts dir :

Config Password

current :

new password :

retype it :

Change

Tech Password

current :

new password :

retype it :

Change

IMPORTANT :

vous devez saisir ici l'adresse IP du PC Back-Office. (si le Back-Office est sur le même poste que PhotoWorkShop, saisissez 127.0.0.1). C'est grâce à cette adresse que PhotoWorkShop pourra communiquer ses travaux au Back-Office pour les imprimer.

IP Address : 127 0 0 1

color set : 32

Shortcuts

My Documents

Desktop

My Pictures

Save

Exit

Localization

default culture : English (United States)

currency : en-US (\$)

Alternative Cultures :

	show on first screen	culture
	<input checked="" type="checkbox"/>	English (United States)
	<input checked="" type="checkbox"/>	Spanish (Spain)
	<input checked="" type="checkbox"/>	French (France)
	<input checked="" type="checkbox"/>	Italian (Italy)
▶	<input type="checkbox"/>	Lithuanian (Lithuania)
	<input checked="" type="checkbox"/>	Portuguese (Portugal)

General Parameters

enable TopMost windows

allow local drives browsing

allow recursive directory search

enable help on startup

enable mouse over

cache size (Mb) : 64

IHM Font : Sample font

extra fonts dir :

Config Password

current :

new password :

retype it :

Change

Tech Password

current :

new password :

retype it :

Change

Back Office Integration

export directory : C:\export

IP Address : 127 0 0 1

Text Edition

fonts directory : C:\Program

Permet de définir le nombre de couleurs accessibles pour les textes et les bordures dans PhotoWorkShop. (6,9,16,32 ou 256)

32

User Information Dialogs

ask for name

ask for phone number

My Pictures

Localization
default culture : English (United States)
currency : en-US (\$)

General Parameters
 enable TopMost windows
 allow local drives browsing
 allow recursive directory search
 enable help on startup
 enable mouse over
cache size (Mb) : 64
IHM Font : Sample font
extra fonts dir :

Config Password
current :
new password :
retype it :
Change

Tech Password
current :
new password :
retype it :
Change

Cochez les informations que vous voulez obliger le client à saisir pour valider sa commande dans PhotoWorkShop.

IP Address : 127 0 0 1
PWS Back Office\fonts color set : 32

User Information Dialogs
 ask for name
 ask for phone number
 ask for address
 ask for e-mail

Money
 Show prices
 Show checkstand button

shortcuts
 My Documents
 Desktop
 My Pictures

Localization

default culture : English (United States)
currency : en-US (\$)

General Parameters

enable TopMost windows
 allow local drives browsing
 allow recursive directory search
 enable help on startup
 enable mouse over
cache size (Mb) : 64
IHM Font : Sample font
extra fonts dir :

Config Password

current :
new password :
retype it :
Change

Tech Password

current :
new password :
retype it :
Change



User Information Dialogs

ask for name
 ask for phone number
 ask for address
 ask for e-mail

Money

Show prices
 Show checkstand button

shortcuts

My Documents
 Desktop
 My Pictures

Localization
default culture : English (United States)
currency : en-US (\$) [dropdown]

General Parameters
 enable TopMost windows
 allow local drives browsing
 allow recursive directory search
 enable help on startup
 enable mouse over
cache size (Mb) : 64 [dropdown]
IHM Font : [dropdown] Sample font
extra fonts dir : [text box]

Config Password
current : [text box]
new password : [text box]
retype it : [text box]
[Change]

Tech Password
current : [text box]
new password : [text box]
retype it : [text box]
[Change]

Cochez les informations que vous voulez obliger le client à saisir pour valider sa commande dans PhotoWorkShop.



- ates)
- nia)
- ugal)

[text box] IP Address : 127 0 0 1
[text box] color set : 32 [dropdown]

User Information Dialogs
 ask for name
 ask for phone number
 ask for address
 ask for e-mail

Money
 Show prices
 Show checkstand button

shortcuts
 My Documents
 Desktop
 My Pictures

Localization


default culture : English (United States)

currency : en-US (\$)

Alternative Cultures :

	show on first screen	culture
	<input checked="" type="checkbox"/>	English (United States)
	<input checked="" type="checkbox"/>	Spanish (Spain)
	<input checked="" type="checkbox"/>	French (France)
	<input checked="" type="checkbox"/>	Italian (Italy)
▶	<input type="checkbox"/>	Lithuanian (Lithuania)
	<input checked="" type="checkbox"/>	

Cochez cette case si vous voulez afficher les prix dans PhotoWorkShop.



General Parameters

enable TopMost windows enable help on startup

allow local drives browsing enable mouse over

allow recursive directory search cache size (Mb) : 64

IHM Font : Sample font

extra fonts dir :

Config Password

current : new password : retype it : Change

Tech Password

current : new password : retype it : Change

Back Office Integrat

export directory : IP Address : 127 0 0 1

Text Edition

fonts directory : color set : 32

User Information Dialogs

ask for name ask for address

ask for phone number ask for e-mail

Show prices Show checkstand button

shortcuts

My Documents Desktop My Pictures

Localization

default culture : English (United States)

currency : en-US (\$)

Alternative Cultures :

	show on first screen	culture
	<input checked="" type="checkbox"/>	English (United States)
	<input checked="" type="checkbox"/>	Spanish (Spain)
	<input checked="" type="checkbox"/>	French (France)
	<input checked="" type="checkbox"/>	Italian (Italy)
▶	<input type="checkbox"/>	Lithuanian (Lithuania)
	<input checked="" type="checkbox"/>	Portuguese (Portugal)

General Parameters

enable TopMost windows

allow local drives browsing

allow recursive directory search

IHM Font : Sample font

extra fonts dir :

enable help on startup

enable mouse over

cache size (Mb) : 64

Config Password

current :

new password :

retype it :

Tech Password

current :

new password :

retype it :

Change

Back Office Integration

export directory : C:\export

IP Address : 127 0 0 1

Text Edition

fonts directory : C:\Program Files\MGI\PWS Back Office\fonts

color set : 32

User Information Dialogs

ask for name

ask for address

ask for phone number

ask for e-mail

Money

Show prices

Show checkstand button

shortcuts

My Documents

Desktop

My Pictures

Ajoute des raccourcis à l'écran lors du parcours du disque dur local.

enable manual album service enable auto album service

All prices are in current currency.

Formats and Prices

Active	Format Name	With Lost Borders	Base Price	Per Page Price	Extra Value From (nb)	Extra Value Rate (%)
<input checked="" type="checkbox"/>	A4Portrait	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A4Paysage	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A3Portrait	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A3Paysage	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	30x30	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	21x21	yes	30,00	1,00	20	5

Onglet de paramétrage des Albums Photo.

Book Formats

base dir : C:\Program Files\MGI\PhotoWorkShop\resources\book

Output Device

device : MGI

Layouts

Layout Editor

Auto Album Settings

- do not fill first page
- warning : maximum pages number reached
- warning : last page is empty
- Use file 1st page
- question : rebuild album

Save Exit

Global Parameters Photo Album Pele Mele Photo Printing ISO Cards

enable manual album service enable auto album service

All prices are in current currency.

Formats and Prices

	Active	Format Name	With Lost Borders	Base Price	Per Page Price	Extra Value From (nb)	Extra Value Rate (%)
▶	<input checked="" type="checkbox"/>	A4Portrait	yes	30,00	1,00	20	5
	<input checked="" type="checkbox"/>	A4Paysage	yes	30,00	1,00	20	5
	<input checked="" type="checkbox"/>	A3Portrait	yes	30,00	1,00	20	5
	<input checked="" type="checkbox"/>	A3Paysage	yes	30,00	1,00	20	5
	<input checked="" type="checkbox"/>	30x30	yes	30,00	1,00	20	5
	<input checked="" type="checkbox"/>	21x21	yes	30,00	1,00	20	5

"Layout Editor" est un module de création et de modification des gabarits ou templates, des albums Photo. Grâce à ce module, vous pouvez modifier les mises en page des "Layouts" ou maquettes que vous mettez à disposition de vos clients, ainsi que les mises en page des albums automatiques, et de la mise en page de la première page d'album automatique. Ce module est abordé dans une animation spécifique.



Layouts

Layout Editor

Auto Album Settings

do not fill first page warning : maximum pages number reached warning : last page is empty
 Use file 1st page question : rebuild album

Save

Exit

enable manual album service enable auto album service

All prices are in current currency.

Fomats and Prices

Active	Format Name	With Lost Borders	Base Price	Per Page Price	Extra Value From (nb)	Extra Value Rate (%)
<input checked="" type="checkbox"/>	A4Portrait	yes	30,00	1,00	20	5
<input type="checkbox"/>		yes	30,00	1,00	20	5
<input type="checkbox"/>		yes	30,00	1,00	20	5
<input type="checkbox"/>		yes	30,00	1,00	20	5
<input type="checkbox"/>		yes	30,00	1,00	20	5
<input type="checkbox"/>		yes	30,00	1,00	20	5

Un fichier de gabarit est dédié à la première page. Si la case est cochée, le gabarit sera systématiquement utilisé. Sinon, la première page sera l'un des gabarits de l'album choisi.



WorkShop\resources\book

Output Device
device : MGI

Layouts
Layout Editor

Auto Album Settings

do not fill first page warning : maximum pages number reached warning : last page is empty

Use file 1st page question : rebuild album

Save Exit

enable manual album service enable auto album service

All prices are in current currency.

Formats and Prices

Si le fichier de gabarit dédié à la première page est sélectionné, ("Use file 1st page" coché), En cochant cette case, la génération automatique de l'album laissera la première page vierge. L'utilisateur choisira lui-même la première photo de l'album.



With Lost Borders	Base Price	Per Page Price	Extra Value From (nb)	Extra Value Rate (%)
yes	30,00	1,00	20	5
yes	30,00	1,00	20	5
yes	30,00	1,00	20	5
yes	30,00	1,00	20	5
yes	30,00	1,00	20	5
yes	30,00	1,00	20	5

Base dir : C:\Program Files (x86)\PhotoWorkShop\resources\book

Output Device device : MGI

Layouts Layout Editor

Auto Album Settings

do not fill first page warning : maximum pages number reached warning : last page is empty

Use file 1st page question : rebuild album

Save Exit

enable manual album service enable auto album service

All prices are in current currency.

Fomats and Prices

Active	Format Name	With Lost Borders	Base Price	Per Page Price	Extra Value From (nb)	Extra Value Rate (%)
<input checked="" type="checkbox"/>	A4Portrait	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A4Paysage	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A3Portrait	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A3Paysage	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	30x30	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	21x21	yes	30,00	1,00	20	5

Un message averti dès que le nombre de photos sélectionnées demande plus de page que prévu dans l'album.



Book Formats

base dir : C:\Progra

Output Device

device : MGI

Layouts

Layout Editor

Auto Album Settings

- do not fill first page
- Use file 1st page
- warning : maximum pages number reached
- warning : last page is empty
- question : rebuild album


enable manual album service enable auto album service

All prices are in current currency.

Formats and Prices

Active	Format Name	With Lost Borders	Base Price	Per Page Price	Extra Value From (nb)	Extra Value Rate (%)
<input checked="" type="checkbox"/>	A4Portrait	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A4Paysage	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A3Portrait	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A3Paysage	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	30x30	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	21x21	yes	30,00	1,00	20	5

Lorsqu'on ajoute de nouvelles photos à l'album, un message demande si PhotoWorkShop doit recalculer l'album, ou juste ajouter les nouvelles photos.



Book base

Output Device
device : MGI

Layouts
Layout Editor

Auto Album Settings
 do not fill first page
 Use file 1st page
 warning : maximum pages number reached
 warning : last page is empty
 question : rebuild album

enable manual album service enable auto album service

All prices are in current currency.

Fomats and Prices

Active	Format Name	With Lost Borders	Base Price	Per Page Price	Extra Value From (nb)	Extra Value Rate (%)
<input checked="" type="checkbox"/>	A4Portrait	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A4Paysage	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A3Portrait	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A3Paysage	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	30x30	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	21x21	yes	30,00	1,00	20	5

**Un message apparaît lorsque la dernière page est vide.
L'utilisateur de PhotoWorkShop ne pense pas toujours à remplir le verso de la dernière feuille.**

Book Formats

base dir : C:\Program Files\MGI\PhotoWorkShop\resources\book

Device

MGI

Layouts

Layout Editor

Auto Album Settings

- do not fill first page
- Use file 1st page
- warning : maximum pages number reached
- question : rebuild album
- warning : last page is empty

enable manual album service

Formats and Prices

Active	Format Name					Extra Value From (nb)	Extra Value Rate (%)
<input checked="" type="checkbox"/>	A4Portrait					20	5
<input checked="" type="checkbox"/>	A4Paysage					20	5
<input checked="" type="checkbox"/>	A3Portrait					20	5
<input checked="" type="checkbox"/>	A3Paysage					20	5
<input checked="" type="checkbox"/>	30x30	yes	30,00	1,00		20	5
<input checked="" type="checkbox"/>	21x21	yes	30,00	1,00		20	5

All prices are in current currency.

Le mode manuel oblige à remplir manuellement chaque page de l'album. S'il est activé, il apparaîtra sur le premier écran parmi les choix de services.

Book Formats

base dir : C:\Program Files\MGI\PhotoWorkShop\resources\book

Output Device

device : MGI

Layouts

Layout Editor

Auto Album Settings

- do not fill first page
- Use file 1st page
- warning : maximum pages number reached
- question : rebuild album
- warning : last page is empty

enable manual album service

Il est conseillé de désactiver le mode manuel, et d'activer le mode automatique

All prices are in current currency.

Formats and Prices

Active	Format Name					Extra Value From (nb)	Extra Value Rate (%)
<input checked="" type="checkbox"/>	A4Portrait					20	5
<input checked="" type="checkbox"/>	A4Paysage	yes	30,00	1,00	20	5	
<input checked="" type="checkbox"/>	A3Portrait	yes	30,00	1,00	20	5	
<input checked="" type="checkbox"/>	A3Paysage	yes	30,00	1,00	20	5	
<input checked="" type="checkbox"/>	30x30	yes	30,00	1,00	20	5	
<input checked="" type="checkbox"/>	21x21	yes	30,00	1,00	20	5	

Book Formats

base dir : C:\Program Files\MGI\PhotoWorkShop\resources\book

Output Device

device : MGI

Layouts

Layout Editor


Auto Album Settings

- do not fill first page
- Use file 1st page
- warning : maximum pages number reached
- question : rebuild album
- warning : last page is empty

enable manual album service enable auto album service



Activez le mode automatique pour remplir automatiquement les pages de l'album avec les photos sélectionnées, tout en tenant compte de l'orientation des photos dans la mise en page. Une fois l'album généré, le logiciel revient en mode manuel, et permet à l'utilisateur de modifier ou compléter son album.



Formats and Prices

Active	Format Name	With Lost Borders	Base Price
<input checked="" type="checkbox"/>	A4Portrait	yes	30,00
<input checked="" type="checkbox"/>	A4Paysage	yes	30,00
<input checked="" type="checkbox"/>	A3Portrait	yes	30,00
<input checked="" type="checkbox"/>	A3Paysage	yes	30,00
<input checked="" type="checkbox"/>	30x30	yes	30,00
<input type="checkbox"/>	21x21	yes	30,00

Book Formats

base dir : C:\Program Files\MGI\PhotoWorkShop\resources\book

Output Device

device : MGI

Layouts

Layout Editor

Auto Album Settings

- do not fill first page
- Use file 1st page
- warning : maximum pages number reached
- question : rebuild album
- warning : last page is empty

enable manual album service enable auto album service

All prices are in current currency.

Fomats and Prices

Active	Format Name	With Lost Borders	Base Price	Per Page Price	Extra Value From (nb)	Extra Value Rate (%)
<input checked="" type="checkbox"/>	A4Portrait	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A4Paysage	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A3Portrait	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A3Paysage	yes	30,00	1,00	20	5
<input type="checkbox"/>	30x30	yes	30,00	1,00	20	5
<input type="checkbox"/>	21x21	yes	30,00	1,00	20	5

Sélectionnez le "device" correspond à votre imprimante de sortie. "MGI" génèrera des PDF que vous pourrez imprimer sur des presses numériques. Minilab vous permettra de récupérer les pages en JPG pour une impression sur Minilab.

Output Device

MGI

MGI

Minilab

Sublimation

warning : last page is empty

enable manual album service enable auto album service

All prices are in current currency.

Fomats and Prices

Active	Format Name	With Lost Borders	Base Price	Per Page Price	Extra Value From (nb)	Extra Value Rate (%)
<input checked="" type="checkbox"/>	A4Portrait	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A4Paysage	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A3Portrait					5
<input checked="" type="checkbox"/>	A3Paysage					5
<input checked="" type="checkbox"/>	30x30					5
<input checked="" type="checkbox"/>	21x21					5

Ce sont tous les formats d'album que vous proposez à vos clients. Décochez ceux que vous ne voulez pas produire.

Book Formats

base dir : C:\Program Files\MGI\PhotoWorkShop\resources

Output Device

MGI

Layouts

Layout Editor

Auto Album Settings

- do not fill first page
- Use file 1st page

Cette liste de formats d'album est liée au type de device sélectionné.

warning : last page is empty

enable manual album service enable auto album service

All prices are in current currency.

Fomats and Prices

Active	Format Name	With Lost Borders	Base Price	Per Page Price	Extra Value From (nb)	Extra Value Rate (%)
<input checked="" type="checkbox"/>	A4Portrait	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A4Paysage	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A3Portrait	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A3Paysage	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	30x30	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	21x21	yes	30,00	1,00	20	5

Book Formats

base dir : C:\Program Files\MGI\PhotoWorkShop\resources\book

Output Device

device : MGI

Layouts

Layout Editor

Auto Album Settings

- do not fill first page
- Use file 1st page
- warning : maximum pages number reached
- question : rebuild album
- warning : last page is empty

Save Exit

enable manual album service enable auto album service

All prices are in current currency.

Fomats and Prices

Active	Format Name	With Lost Borders	Base Price	Per Page Price	Extra Value From (nb)	Extra Value Rate (%)
<input checked="" type="checkbox"/>	A4Portrait	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A4Paysage	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A3Portrait	yes	30,00	1,00	20	5
<input checked="" type="checkbox"/>	A3Paysage	yes	30,00	1,00	20	5
<input type="checkbox"/>	30x30	yes	30,00	1,00	20	5
<input type="checkbox"/>	21x21	yes	30,00	1,00	20	5

Book Fomats

base dir : C:\Program Files\MGI\PhotoWorkShop\resources\book

Output Device

device : MGI

Layouts

Layout Editor

Auto Album Settings

- do not fill first page
- Use file 1st page
- warning : maximum pages number reached
- question : rebuild album
- warning : last page is empty

Save Exit

enable service

All prices are in current currency.

Formats and Prices

	Active	Format Name	Price	Extra Value From (nb)	Extra Value Rate (%)
▶	<input checked="" type="checkbox"/>	A4Paysage	10,00	20	5
	<input type="checkbox"/>	A4Portrait	10,00	20	5
	<input type="checkbox"/>	A3Portrait	10,00	20	5
	<input type="checkbox"/>	A3Paysage	10,00	20	5

Pele Mele Format

base dir : C:\P

Layouts

Layout B

Output Device

MGI

De même pour les pêle-mêles, vous devez tout d'abord choisir votre imprimante de sortie,

Save

Exit


enable service

All prices are in current currency.

Formats and Prices

Active	Format Name	Price	Extra Value From (nb)	Extra Value Rate (%)
<input checked="" type="checkbox"/>	A4Paysage	10,00	20	5
<input checked="" type="checkbox"/>	A4Portrait	20	20	5
<input type="checkbox"/>	A3Portrait	20	20	5
<input type="checkbox"/>	A3Paysage	20	20	5

Cochez les pêle-mêles que vous proposez à vos clients



Pele Mele Formats

base dir : C:\Program Files\MGI\PhotoWorkShop\resources\pm

Output Device

device : MGI

Layouts

Layout Editor

enable service

All prices are in current currency.

Formats and Prices

	Active	Format Name	Price	Extra Value From (nb)	Extra Value Rate (%)
	<input checked="" type="checkbox"/>	A4Paysage	10,00 <input type="text"/>	20 <input type="text"/>	5 <input type="text"/>
	<input checked="" type="checkbox"/>	A4Portrait	10,00 <input type="text"/>	20 <input type="text"/>	5 <input type="text"/>
	<input checked="" type="checkbox"/>	A3Portrait	10,00 <input type="text"/>	20 <input type="text"/>	5 <input type="text"/>
▶	<input checked="" type="checkbox"/>	A3Paysage	10,00 <input type="text"/>	20 <input type="text"/>	5 <input type="text"/>

Pele Mele Formats

base dir : C:\Program Files\MGI\PhotoWorkShop\resources\pm

Output Device

device : MGI

Layouts

Layout Editor

enable service

Cochez "enable service" si vous voulez proposer l'impression de photos à vos clients.

Formats and Prices

	Active	Format Name				Extra Value Rate (%)
▶	<input checked="" type="checkbox"/>	A4				5
	<input checked="" type="checkbox"/>	MiniPoster				5
	<input checked="" type="checkbox"/>	15x20	2,00	20		5
	<input checked="" type="checkbox"/>	9.5x20	2,00	20		5

Photo Formats

base dir : C:\Program Files\MGI\PhotoWorkShop\resources\photo

Output Device

device : MGI

R/V Handling

smartly print photos on R/V printer

Templates

activate multi photo template tool

Index

Add index to order

enable service

All prices are in current currency.

Formats and Prices

	Active	Format Name	Price	Extra Value From (nb)	Extra Value Rate (%)
▶	<input checked="" type="checkbox"/>	A4	2,00	20	5
	<input checked="" type="checkbox"/>	MiniPoster	2,00	20	5
	<input checked="" type="checkbox"/>	15x20	2,00	20	5
	<input checked="" type="checkbox"/>	9.5x20	2,00	20	5

Sélectionnez le type de sortie pour les photos:

MGI = PDF

Minilab = images JPG

Sublimation = impression directe sur imprimante à sublimation.



Output Device

- MGI
- MGI
- Minilab
- Sublimation

Save Exit

Global Parameters Photo Album Pele Mele Photo Printing ISO Cards

 enable service

All prices are in current currency.

Formats and Prices

	Active	Format Name	Price	Extra Value From (nb)	Extra Value Rate (%)
▶	<input checked="" type="checkbox"/>	A4	2,00	20	5
	<input checked="" type="checkbox"/>	MiniPoster	2,00	20	5
	<input checked="" type="checkbox"/>	15x20			5
	<input checked="" type="checkbox"/>	9.5x20			5
	<input type="checkbox"/>	10x15			5
	<input type="checkbox"/>	15x23			5

En choisissant Minilab, vous pouvez définir les différentes tailles d'images qui seront envoyées dans un dossier au format JPG. Vous pourrez récupérer ces photos avec les logiciels de votre Minilab comme vous en avez l'habitude.

Photo Formats

base dir : C:\Program Files\MGI\PhotoWorkShop\resources\photo

Output Device

device : Minilab

R/V Handling

 smartly print photos on R/V printer

Templates

 activate multi photo template tool

Index

 Add index to order

Save

Exit

enable service

All prices are in current currency.

Formats and Prices

	Active	Format Name	Price	Extra Value From (nb)	Extra Value Rate (%)
	<input checked="" type="checkbox"/>	A4	2,00 <input type="text"/>	20 <input type="text"/>	5 <input type="text"/>
	<input checked="" type="checkbox"/>	MiniPoster	2,00 <input type="text"/>	20 <input type="text"/>	5 <input type="text"/>
	<input checked="" type="checkbox"/>	15x20	2,00 <input type="text"/>	20 <input type="text"/>	5 <input type="text"/>
	<input checked="" type="checkbox"/>	9.5x20	2,00 <input type="text"/>	20 <input type="text"/>	5 <input type="text"/>
▶	<input checked="" type="checkbox"/>	10x15	2,00 <input type="text"/>	20 <input type="text"/>	5 <input type="text"/>
	<input type="checkbox"/>	15x23	2,00 <input type="text"/>	20 <input type="text"/>	5 <input type="text"/>

Photo Formats

base dir :

Output Device

device :

R/V Handling

smartly print photos on R/V printer

Templates

activate multi photo template tool

Index

Add index to order

enable service

All prices are in current currency.

Formats and Prices

	Active	Format Name	Price	Extra Value From (nb)	Extra Value Rate (%)
	<input checked="" type="checkbox"/>	A4	2,00 <input type="text"/>	20 <input type="text"/>	5 <input type="text"/>
	<input checked="" type="checkbox"/>	MiniPoster	2,00 <input type="text"/>	20 <input type="text"/>	5 <input type="text"/>
	<input checked="" type="checkbox"/>	15x20	2,00 <input type="text"/>	20 <input type="text"/>	5 <input type="text"/>
	<input checked="" type="checkbox"/>	9.5x20	2,00 <input type="text"/>	20 <input type="text"/>	5 <input type="text"/>
	<input checked="" type="checkbox"/>	10x15	2,00 <input type="text"/>	20 <input type="text"/>	5 <input type="text"/>
	<input checked="" type="checkbox"/>	15x23	2,00 <input type="text"/>	20 <input type="text"/>	5 <input type="text"/>

Photo Formats

base dir :

Output Device

device :

R/V Handling

smartly print photos on R/V printer

Templates

activate multi photo template tool

Index

Add index to order

Save

Exit

enable service

All prices are in current currency.

Formats and Prices

	Active	Format Name	Price	Extra Value From (nb)	Extra Value Rate (%)
	<input checked="" type="checkbox"/>	A4	2,00	20	5
	<input checked="" type="checkbox"/>	MiniPoster	2,00	20	5
	<input checked="" type="checkbox"/>	15x20	2,00	20	5
	<input checked="" type="checkbox"/>	9.5x20	2,00	20	5
	<input checked="" type="checkbox"/>	10x15	2,00	20	5
	<input checked="" type="checkbox"/>	15x23	2,00	20	5

"smarty print photos on R/V printer"

Dans le cas d'impression PDF sur une presse MGI configurée en Recto-Verso, cochez cette case pour générer une page blanche entre chaque planche de photos. Ainsi les pages Verso resteront vierges et chaque planche de photos sera imprimée sur une feuille disjointe.



smarty print photos on R/V printer

activate multi photo template tool

Add index to order

Save

Exit

enable service


All prices are in current currency.

Formats and Prices

Active	Format Name	Price	Extra Value From (nb)	Extra Value Rate (%)
<input checked="" type="checkbox"/>	A4	2,00	20	5
<input checked="" type="checkbox"/>	MiniPoster	2,00	20	5
<input checked="" type="checkbox"/>	15x20	2,00	20	5
<input checked="" type="checkbox"/>	9.5x20	2,00	20	5
<input checked="" type="checkbox"/>	10x15	2,00	20	5
<input checked="" type="checkbox"/>	15x23	2,00	20	5

"activate multi photo template tool"

Sélectionne ou non la fonction qui permet d'appliquer une maquette à l'ensemble des images sélectionnées dans le menu : Editez vos photos Maquettes.



R/V Handling
 smartly print photos on R/V printer

Templates
 activate multi photo template tool

Index
 Add index to order

enable service

All prices are in current currency.

Formats and Prices

Active	Format Name	Price	Extra Value From (nb)	Extra Value Rate (%)
<input checked="" type="checkbox"/>	A4	2,00	20	5
<input checked="" type="checkbox"/>	MiniPoster	2,00	20	5
<input checked="" type="checkbox"/>	15x20	2,00	20	5
<input checked="" type="checkbox"/>	9.5x20	2,00	20	5
<input checked="" type="checkbox"/>	10x15	2,00	20	5
<input checked="" type="checkbox"/>	15x23	2,00	20	5

"Add index to order"
Cochez cette case si vous voulez générer une planche contact avec chaque commande de photos.



Photo Formats

base dir : C:\Program Files\MGI\PhotoWorkShop\resources\photo

Output Device

device : Minilab

R/V Handling

smartly print photos on R/V printer

Templates

activate multi photo template tool

Index

Add index to order

Save

Exit

Global Parameters Photo Album Pele Mele Photo Printing ISO Cards

 enable service

Cards Fomats

formats file : C:\Program Files\MGI\PhotoWorkShop\resources\iso\formats.xml

Layouts

Layout Editor

ISO Card Printer

printer : click to set

Options

 enable card reloading

L'onglet ISO Cards vous permet de configurer l'impression directe de cartes au format "Carte de crédit" sur une imprimante à sublimation Evolis.



Save

Exit

enable service

Cards Fomats

formats file : C:\Program Files\MGI\PhotoWorkShop\resources\iso\formats.xml

Layouts

Layout Editor


ISO Card Printer

printer : click to set

Options

enable card reloading

Vous devez avoir au préalable installé le driver de l'imprimante Evolis, que vous sélectionnerez ici.



enable service

Cards Fomats

formats file : C:\Program Files\MGI\PhotoWorkShop\resources\iso\formats.xml

Layouts

Layout Editor

ISO Card Printer

printer : click to set

Options

enable card reloading

Permet de conserver les cartes imprimées, qui pourront être rechargées et réimprimées.



enable service

Si vous ne disposez pas d'une imprimante Evolis, décochez cette case pour que le service n'apparaisse pas dans PhotoWorkShop

Cards Formats
formats file : C:\Program F

Layouts

Layout Editor

printer : click to set

enable card reloading



Save

Exit

enable service

Cards Formats

formats file : C:\Program Files\MGI\PhotoWorkShop\resources\iso\formats.xml

Layouts

Layout Editor

ISO Card Printer

printer : click to set

Options

enable card reloading

Sauvez toutes vos modifications avant de quitter.



Save

Exit

enable service

Cards Formats

formats file : C:\Program Files\MGI\PhotoWorkShop\resources\iso\formats.xml

Layouts

Layout Editor

ISO Card Printer


printer : click to set

Options

enable card reloading

Confirmation que vos modifications seront prises en compte.

Information

 Configuration have been saved.

OK

Global Parameters Photo Album Pele Mele Photo Printing ISO Cards

 enable service

Cards Formats

formats file : C:\Program Files\MGI\PhotoWorkShop\resources\iso\formats.xml

Layouts

Layout Editor

ISO Card Printer

printer : click to set

Options

 enable card reloading

**Vous pouvez Quitter à présent l'application de Configuration de PhotoWorkShop,
et commencer à utiliser PhotoWorkShop .**

Save

Exit